

Disposizione contatti

Contact arrangement

Vista anteriore inserto maschio

Front view of male insert

1 CONTACT

Arrangement
Contact Size
Service rating




16-2
12
E




16-12
4
A




12-5
12
A




18-6
4
D




18-7
8
B



18-16
12
C




20-2
0
D




22-7
0
E


Arrangement
Contact Size
Service rating




24-A1
0
B




28-B1
0
B



32-A1
AWG 4/0
A



36-01
AWG 4/0
C



36-B90
Special
D

Arrangement
Contact Size
Service rating

2 CONTACTS

Arrangement
Contact Size
Service rating




10SL-4
16S
A




14S-9
16S
A




16S-4
16S
D




16-11
12
A



18-3
12
D



20-23
8
A




22-1
8
D



12S-3
16
A

Arrangement
Contact Size
Service rating

CONTACT LEGEND



4/0

Disposizione contatti


Contact arrangement

Vista anteriore inserto maschio

Front view of male insert

2 CONTACTS

Arrangement
Contact Size
Service rating




3 CONTACTS

Arrangement
Contact Size
Service rating


Arrangement
Contact Size
Service rating

Arrangement
Contact Size
Service rating

Arrangement
Contact Size
Service rating



CONTACT LEGEND



Disposizione contatti

Contact arrangement

Vista anteriore inserto maschio


Front view of male insert

4 CONTACTS


Arrangement
Contact Size
Service rating




14S-2
16S
I




16-9
2/12, 2/16
A




18-4
16
D




18-10
12
A




18-10S MT**
4/12
A




18-13
1/8, 3/12
A




20-4
12
D



20-24
2/8, 2/16
A




22-4
2/8, 2/12
A




22-22SMT**
4/8
A


Arrangement
Contact Size
Service rating




22-10
16
E




22-22
8
A



24-4
1/0, 3/16
D




24-22
8
D




32-17
4
D


Arrangement
Contact Size
Service rating




36-5
0
A



40-B4
0
E



40-D4
4
C



20-A24*
2/8, 2/16
A


Arrangement
Contact Size
Service rating

5 CONTACTS


Arrangement
Contact Size
Service rating




14-S5
16S
A




16-S8
16S
A



18-11
12
A




18-20
16
A



18-30(18-20x110°)
16
A

CONTACT LEGEND



*Only Crimp Contact Version **Contact "D": First-Mate-Last-Break Grounding Contact

Disposizione contatti


Contact arrangement

Vista anteriore inserto maschio


Front view of male insert

5 CONTACTS


Arrangement
Contact Size
Service rating




20-14
2/8, 3/12
A




22-12
2/8, 3/16
D




22-34
3/12, 2/16
D




24-12
2/4, 3/12
A




24-G5
5/8
A




32A-5 GM
4
A



32-1
2/0, 3/12
A = E; B, C, D, E = D




32-2
3/4, 2/16
E




32-79
4/4, 1/8
D


Arrangement
Contact Size
Service rating




40-A3
1/0M, 2/0, 2/12
A



40-A5
3/0, 1/4, 1/12
A



40-A5 GM
5/0
A




40-A55
5/0
A


Arrangement
Contact Size
Service rating

6 CONTACTS


Arrangement
Contact Size
Service rating




14S-6
16S
I




18-06
4/12, 2/16
A



18-12
16
A




20-8
2/8, 4/16
I




20-17
5/12, 1/16
A


Arrangement
Contact Size
Service rating




20-22
3/8, 3/16
A



22-5
2/12, 4/16
D




22-15
5/12, 1/16
D-E; A, B, C, E, F = A



24-06
4/8, 2/16
D

CONTACT LEGEND



Disposizione contatti


Contact arrangement

Vista anteriore inserto maschio


Front view of male insert

6 CONTACTS

Arrangement
Contact Size
Service rating




Arrangement
Contact Size
Service rating




7 CONTACTS


Arrangement
Contact Size
Service rating




Arrangement
Contact Size
Service rating



Arrangement
Contact Size
Service rating




CONTACT LEGEND




Disposizione contatti
Contact arrangement
 Vista anteriore inserto maschio
 Front view of male insert

8 CONTACTS


Arrangement
 Contact Size
 Service rating




18-8
 1/12, 7/16
 A




20-7
 16
 A,B,H,G=D; C,D,E, F=A




20-9
 1/12, 7/16
 H=D; Bal=A



20-A8
 2/8, 6/16
 I



20-B8
 4/12, 4/16
 A




22-18
 16
 A,B,F,G,H=D; C,D,E=A


Arrangement
 Contact Size
 Service rating




22-23
 12
 H=D; Bal=A




24-6
 12
 A,G,H=D; Bal=A




32-15
 2/0, 6/12
 D




40-A8
 4/0, 4/16
 E




40-A10
 4/4, 4/16
 D



32-A8
 8/8
 A



24-A8
 3/16, 5/8
 A




36-A35
 4/16, 4/0
 A

9 CONTACTS


Arrangement
 Contact Size
 Service rating



20-16
 2/12, 7/16
 A



20-18
 3/12, 6/16
 A




20-21
 1/12, 8/16
 A




20-A9
 12
 J=D; Bal-I


Arrangement
 Contact Size
 Service rating




22-17
 1/12, 8/16
 A=D; Bal=A




22-20
 16
 A



22-27
 1/8, 8/16
 J=D; Bal=A




24-11
 3/8, 6/12
 A



28-1
 3/8, 6/12
 A,J,E=D; Bal=A

CONTACT LEGEND



Disposizione contatti


Contact arrangement

Vista anteriore inserto maschio


Front view of male insert

9 CONTACTS


Arrangement
Contact Size
Service rating




28-84
8
A




28-09
4/4, 5/16
A



32-3
1/0, 2/4, 2/12, 4/16
D



32-689
3/4, 6/16
A




Arrangement
Contact Size
Service rating


40-A9
6/8, 3/0
A

10 CONTACTS


Arrangement
Contact Size
Service rating




16-A10
18
I




18-1
16
B,C,F,G=A; Bal=I




18-19
16
A



22-82
8/16, 2/8
A




22-A10
16
A



Arrangement
Contact Size
Service rating


28-19
4/12, 6/16
A,B=D; K,M=B; Bal=A




36-A10
2/4, 8/8
A

11 CONTACTS


Arrangement
Contact Size
Service rating




20-33
16
A



24-20
2/12, 9/16
D




24-A11
2/8, 9/16
A



40-67
10/4, 1/16
A

CONTACT LEGEND



4/0

Disposizione contatti


Contact arrangement

Vista anteriore inserto maschio


Front view of male insert

12 CONTACTS


Arrangement
Contact Size
Service rating




24-A12
2/4, 10/16
A



24-19
16
A




28-9
6/12, 6/16
D



28-18
16


A,B=A; G,H,J,K,L=D; M=C;
Bal=I




28-51
12
D

13 CONTACTS


Arrangement
Contact Size
Service rating




20-11
16
I




20-25(20-11x100°)
16
I



24-013
6/12, 7/16
A




32-013
12
D




20-30(20-11x250°)
16
I

14 CONTACTS


Arrangement
Contact Size
Service rating




20-27
16
A



22-19
16
A




28-2
2/12, 12/16
D




28-20
10/12, 4/16
A


Arrangement
Contact Size
Service rating




32-9
2/4, 12/16
A



36-B78
12/8, 2/16
D




36-D78
10/8, 4/16
D



40-A14
6/12, 8/4
A


15 CONTACTS

Arrangement
Contact Size
Service rating



28-17
16
M,N,P=D; R=B; Bal=A

CONTACT LEGEND



Disposizione contatti


Contact arrangement

Vista anteriore inserto maschio


Front view of male insert

16 CONTACTS


Arrangement
Contact Size
Service rating




24-5
16
A




24-7
2/12, 14/16
A




28-124
12/16, 4/8
A



32-68
4/4, 12/16
A



36-14
5/8, 5/12, 6/16
D




28-79
7/8, 9/16
A

Arrangement
Contact Size
Service rating

17 CONTACTS

Arrangement
Contact Size
Service rating




20-29
16
A




28-59
7/12, 10/16
A

19 CONTACTS


Arrangement
Contact Size
Service rating




20-A48
16
I




22-14
16
A



24-67
12
A




32-76
12
A




40-B19
8
A

20 CONTACTS

Arrangement
Contact Size
Service rating




28-16
16
A




40-A20
2/8, 18/12
D

22 CONTACTS


Arrangement
Contact Size
Service rating



28-11
4/12, 18/16
A




32-B22
2/4, 20/16
A



36-22
12
D

CONTACT LEGEND



4/0

Disposizione contatti


Contact arrangement

Vista anteriore inserto maschio

Front view of male insert


23 CONTACTS

Arrangement
Contact Size
Service rating




24 CONTACTS

Arrangement
Contact Size
Service rating




25 CONTACTS

Arrangement
Contact Size
Service rating



26 CONTACTS

Arrangement
Contact Size
Service rating




27 CONTACTS

Arrangement
Contact Size
Service rating



CONTACT LEGEND




Disposizione contatti

Contact arrangement


Vista anteriore inserto maschio

Front view of male insert

28 CONTACTS




24-A28
16
I




28-A63
9/12, 19/16
I

Arrangement
Contact Size
Service rating


29 CONTACTS



28-A29
2/8, 27/16
A




40-10
4/4, 9/8, 16/16
A




40-B25
25/16, 4/0
A

Arrangement
Contact Size
Service rating


30 CONTACTS



32-8
6/12, 24/16
A




32-A30
10/12, 20/16
A




40-1
6/12, 24/16
D

Arrangement
Contact Size
Service rating


31 CONTACTS




28-A31
6/8, 25/20
A



32-31
16
A




36-9
1/4, 2/8, 14/12, 14/16
A




36-18(36-9x100°)
1/4, 2/8, 14/12, 14/16
A

Arrangement
Contact Size
Service rating




40-31
31/12
D



40-A51
15/8, 16/16
A

Arrangement
Contact Size
Service rating


CONTACT LEGEND




Disposizione contatti
Contact arrangement
 Vista anteriore inserto maschio
 Front view of male insert

35 CONTACTS


Arrangement
 Contact Size
 Service rating




28-15
 16
 A




28-A35
 16
 A



32-7
 7/12, 28/16
 A,B,h,j,l; Bal=A




36-15
 16
 M=D; Bal=A



40-35
 12
 D

36 CONTACTS


Arrangement
 Contact Size
 Service rating




36-35
 4/8, 32/16
 A

37 CONTACTS


Arrangement
 Contact Size
 Service rating



22-A37
 18
 A




28-21
 16
 A



40-B37
 12
 A

38 CONTACTS


Arrangement
 Contact Size
 Service rating



40-A38
 12
 A

39 CONTACTS

Arrangement
 Contact Size
 Service rating



36-54
 8/8, 31/16
 A

**CONTACT
 LEGEND**



Disposizione contatti

Contact arrangement

Vista anteriore inserto maschio

Front view of male insert

40 CONTACTS



Arrangement
Contact Size
Service rating

32-A40
40/16
A


42 CONTACTS



Arrangement
Contact Size
Service rating

32-59
2/8, 40/16
A


44 CONTACTS



Arrangement
Contact Size
Service rating


36-74
1/8, 43/16
A

47 CONTACTS




Arrangement
Contact Size
Service rating


36-7
7/12, 40/16
A



36-8
1/12, 46/16
A




40-9
1/8, 22/12, 24/16
A




40-47
1/8, 22/12, 24/16
A

48 CONTACTS



Arrangement
Contact Size
Service rating

32-A48
16
I



36-10
16
A

CONTACT LEGEND




Disposizione contatti

Contact arrangement

Vista anteriore inserto maschio

Front view of male insert


51 CONTACTS



Arrangement
Contact Size
Service rating


40-951
25/12, 26/16
A

54 CONTACTS



Arrangement
Contact Size
Service rating

32-22
16
A




32-88
16
A

55 CONTACTS




Arrangement
Contact Size
Service rating

24-A55 *
20
I



32-A55
16
A


56 CONTACTS



Arrangement
Contact Size
Service rating


36-66
4/12, 52/16
A

60 CONTACTS




Arrangement
Contact Size
Service rating

40-53
16
A



40-62
16
A

CONTACT LEGEND



* Only Crimp Contact Version


Disposizione contatti

Contact arrangement

Vista anteriore inserto maschio

Front view of male insert†

60 CONTACTS




Arrangement
Contact Size
Service rating

40-53
16
A

40-62
16
A


61 CONTACTS



Arrangement
Contact Size
Service rating

40-63
16
A


62 CONTACTS



Arrangement
Contact Size
Service rating

40-A62
2/8, 60/16
A

65 CONTACTS




Arrangement
Contact Size
Service rating

40-A65
16
A

36-A99 *
15/16, 50/20
A


70 CONTACTS



Arrangement
Contact Size
Service Rating

40-A70
16
A

72 CONTACTS



Arrangement
Contact Size
Service Rating

28-72 *
20
I

36-A72
4/12, 16/16, 52/18
I


CONTACT LEGEND



* Only Crimp Contact Version


Disposizione contatti
Contact arrangement
 Vista anteriore inserto maschio
 Front view of male insert

85 CONTACTS




Arrangement	40-56	40-A56
Contact Size	16	16
Service rating	A	A

100 CONTACTS




Arrangement	40-100
Contact Size	100/18
Service rating	A

150 CONTACTS



Arrangement	40-150
Contact Size	18
Service rating	I

CONTACT LEGEND



Di sposizione contatti

Contact arrangement

Arrangement	Rating	Contact Number	Contact Size							
			4/0	0	4	8	12	16	16S	18
10SL-3	A	3							3	
10SL-4	A	2							2	
12-5	A	1					1			
12S-3	A	2							2	
14S-1	A	3							3	
14S-2	I	4							4	
14S-5	I	5							5	
14S-6	I	6							6	
14S-7	A	3							3	
14S-9	A	2							2	
14S-07	I	7							7	
16S-1	A	7							7	
16S-4	D	2							2	
16S-5	A	3							3	
16S-8	A	5							5	
16-2	E	1					1			
16-7	A	3				1			2	
16-9	A	4					2	2		
16-10	A	3					3			
16-11	A	2					2			
16-12	A	1			1					
16-A10	I	10							10	
18-1	I	10						10		
18-3	D	2					2			
18-4	D	4						4		
18-5	D	3					2	1		
18-6	D	1			1					
18-06	A	6					4	2		
18-7	B	1				1				
18-8	A	8					1	7		
18-9	I	7					2	5		
18-10	A	4					4			
18-10S MT	A	4					4			
18-11	A	5					5			
18-12	A	6						6		
18-13	A	4				1	3			
18-16	C	1					1			
18-19	A	10						10		
18-20	A	5						5		
18-22	D	3						3		
18-30 (18-20x110°)	A	5						5		
20-2	D	1		1						
20-3	D	3					3			
20-4	D	4					4			
20-6	D	3						3		
20-7	A	8						8		
20-8	I	6				2		4		
20-9	A	8					1	7		
20-11	I	13						13		
20-14	A	5				2	3			
20-15	A	7					7			
20-16	A	9					2	7		
20-17	A	6					5	1		
20-18	A	9					3	6		
20-19	A	3				3				
20-21	A	9					1	8		
20-22	A	6				3		3		
20-23	A	2				2				
20-24	A	4				2		2		
20-A24	A	4				2				
20-25 (20-11x100°)	I	13						13		
20-27	A	14						14		

Arrangement	Rating	Contact Number	Contact Size							
			4/0	0	4	8	12	16	18	20
20-29	A	17								17
20-30 (20-11x250°)	I	13								13
20-33	A	11								11
20-A8	I	8					2			6
20-A9	A	9						9		
20-A48	I	19								19
20-B8	A	8						4		4
22-1	D	2					2			
22-2	D	3					3			
22-4	A	4					2	2		
22-5	D	6						2		4
22-7	E	1		1						
22-9	E	3						3		
22-10	E	4								4
22-11	B	2								2
22-12	D	5					2			3
22-14	A	19								19
22-15*	A	6						5		1
22-17	A	9						1		8
22-18	A	8								8
22-19	A	14								14
22-20	A	9								9
22-21	A	3			1					2
22-22	A	4					4			
22-23	A	8						8		
22-27	A	9					1			8
22-28	A	7						7		
22-34	D	5						3		2
22-82	A	10					2			8
22-A10	A	10								10
22-A37	A	37								37
22-225 MT	A						4			
24-2	D	7						7		
24-3	A	7						2		5
24-4	D	4			1					3
24-5	A	16								16
24-06	D	6					4			2
24-6	A	8						8		
24-07	D	7						7		
24-7	A	16						2		14
24-9	A	2				2				
24-10	A	7					7			
24-11	A	9					3	6		
24-12	A	5				2		3		
24-013	A	13						6		7
24-19	A	12								12
24-20	D	11						2		9
24-22	D	4					4			
24-27	E	7								7
24-28	I	24								24
24-67*	A	19						19		
24-A1	B	1			1					
24-A8	A	8					5			3
24-A11	A	11					2			9
24-A12	A	12				2				10
24-A25	A	25								25
24-A28	I	28								28
24-A55*	I	55								55
24-G5	A	5					5			
28-1	A	9						3		6
28-2	D	14						2		12
28-3	E	3					3			

* Only Crimp Contact Version

© 2013 Glenair, Inc.

U.S. CAGE Code 06324

Printed in U.S.A.

GLENAIR, INC. • 1211 AIR WAY • GLENDALE, CA 91201-2497 • 818-247-6000 • FAX 818-500-9912
www.glenair.com **26** **E-Mail: sales@glenair.com**

Disposizione contatti Contact arrangement

Arrangement	Rating	Contact Number	Contact Size							
			4/0	0	4	8	12	16	18	20
28-6	D	3			3					
28-09	A	9			4			5		
28-9	D	12					6	6		
28-10	A	7			2	2	3			
28-11	A	22					4	18		
28-12	A	26						26		
28-13 (28-12x100*)	A	26						26		
28-15	A	35						35		
28-16	A	20						20		
28-17	A	15						15		
28-18	I	12						12		
28-19	A	10					4	6		
28-20	A	14					10	4		
28-21	A	37						37		
28-22	D	6			3			3		
28-51	D	12					12			
28-59	A	17					7	10		
28-70	A	7				7				
28-72**	I	72								72
28-79	A	16				7		9		
28-84	A	9				9				
28-124	A	16				4		12		
28-A29	A	29				2		27		
28-A31	A	31				6			25	
28-A35	A	35						35		
28-A63	I	28					9	19		
28-B1	B	1		1						
28-B2	E	2				2				
32-1	D	5		2			3			
32-2	E	5			3			2		
32-3	D	9		1	2		2	4		
32-5	D	2		2						
32-6	A	23			2	3	2	16		
32-7	I	35					7	28		
32-8	A	30					6	24		
32-9	D	14			2			12		
32-013	D	13					13			
32-13	D	23					5	18		
32-15	D	8		2			6			
32-17	D	4			4					
32-22	A	54						54		
32-31	A	31						31		
32-59	A	42				2		40		
32-68	A	16			4			12		
32-689	A	9			3			6		
32-A5 GM	A	5			5					
32-76	A	19					19			
32-79	D	5			4	1				
32-88	A	54						54		
32-A1	A	1	1							
32-A3	E	3			3					
32-A8	A	8				8				
32-A25	A	25					25			
32-A27	A	27					10	17		
32-A30	A	30					10	20		
32-A40	A	40						40		
32-A48	I	48						48		
32-A55	A	55						55		
32-B22	A	22			2			20		
36-01	C	1	1							
36-3	D	6		3			3			
36-4	A	3		3						

Arrangement	Rating	Contact Number	Contact Size							
			4/0	0	4	8	12	16	18	20
36-5	A	4		4						
36-6	A	6		2	4					
36-7	A	47						7	40	
36-8	A	47						1	46	
36-9	A	31				1	2	14	14	
36-10	A	48							48	
36-14	D	16					5	5	6	
36-15	A	35							35	
36-18 (36-9x100*)	A	31				1	2	14	14	
36-22	D	22						22		
36-35	A	36					4		32	
36-54=36-B39	A	39					8		31	
36-66	A	56						4	52	
36-74	A	44					1		43	
36-77	D	7				7				
36-A7	A	7		3	2			2		
36-A10	A	10				2	8			
36-A35	A	8		4					4	
36-A51	D	6		3	2				1	
36-A72	I	72						4	16	52
36-A99*	A	65							15	50
36-B78	D	14					12		2	
36-B90	D	1						n.1 Special Contact		
36-D78	D	14					10		4	
40-1	D	30						6	24	
40-9	A	47					1	22	24	
40-10	A	29				4	9		16	
40-26	A	26					7	19		
40-31	D	31							31	
40-35	D	35							35	
40-47	A	47					1	22	24	
40-53	A	60							60	
40-56	A	85							85	
40-62	A	60							60	
40-63	A	61							61	
40-67	A	11					10		1	
40-100	A	100								100
40-150	I	150								150
40-951	A	51						25	26	
40-A3	A	5			3			2		
40-A4	A	6			4			2		
40-A5	A	5			3	1		1		
40-A5GM	A	5			5					
40-A6	B	6						6		
40-A8	E	8			4				4	
40-A9	A	9			3			6		
40-A10	D	8				4			4	
40-A14	A	14				8		6		
40-A20	D	20					2	18		
40-A24	D	24						8	16	
40-A38	A	38							38	
40-A51	A	31						15	16	
40-A55	A	5			5					
40-A56	A	85							85	
40-A62	A	62					2		60	
40-A65	A	65							65	
40-A70	A	70							70	
40-B4	E	4			4					
40-B19	A	19						19		
40-B25	A	29			4				25	
40-B37	A	37							37	
40-D4	C	4						4		
40-G4	E	4						4		

* Only Crimp Contact Version