

RJ45 AND USB 2.0

Contacts, Tools, and Accessories



Band-Master ATS® 601-101 Commercial and 600-061 QPL Qualified, Micro Banding Tool

MICRO BANDING TOOL



Color-coded tool handle:



The 601-101 Band-Master ATS® Micro Tool with Counter for Micro Bands

Weighs 1.3 lbs., and is designed for micro .120" width clamping bands in a tension range from 50 to 85 lbs. Calibrate at 80 lbs ± 3 lbs. for most shield terminations. Tool and band should never be lubricated.

The 600-061 QPL Qualified (M81306/1B) Micro Banding Tool without Counter



Weighs 1.1 and is designed for micro .120" width clamping bands in a tension range from 60 to 85 lbs. Calibrate at 80 lbs ± 5 lbs. for most shield terminations. Tool and band should never be lubricated (not shown).

	Band-Master ATS® Micro Band Selection						
	Len	Length Part Number				iameter	
Bands	in.	mm.	Flat	Pre-Coiled	in.	mm.	
Short Micro	5.0	127.0	601-024	601-025	0.5	12.7	
Medium Micro	8.125	206.38	601-060	601-061	.88	22.4	
Long Micro	14.25	361.95	601-064	601-065	1.8	45.7	

Cable Pull Strength for Band-Master ATS® Micro Bands									
			Band Width		Band Thickness		Calibration	Cable Pull	
	Name	Material Type	In	mm	In	mm	Setting	Strength	
ĺ	Micro	300 SS	0.120	3.05	.015	.38	80 ±5 lbs	per AS85049/128	

	QPL Qualified Micro Band Selection					
	Length Part Number			Fits Diameter		
Bands	in. mm.		Flat	Pre-Coiled	in.	mm.
Standard Micro	8.125	206.38	M85049/128-7	M85049/128-8	.88	22.4

Cable Pull Strength for Micro QPL Qualified Bands									
		Band Width		Band Thickness		Calibration	Cable Pull		
Name	Material Type	In	mm	In	mm	Setting	Strength		
Micro	300 SS	0.120	3.05	.015	.38	80 ±5 lbs	per AS85049/128		