

OPTIMIZED
FOR USE WITH

turboflex
THE ULTRA FLEXIBLE RUGGED POWER CABLE

HMI 928 series quarter-turn
bayonet-lock connectors for
head-to-ballast lighting



Theatrical lighting demands reliable, built-to-last connectors and cables. Glenair Series 928 quarter-turn bayonet connectors meet demanding European “VG” standards for performance, durability, and ruggedness. Available in all standard lighting industry configurations, these connectors feature electrocoated aluminum housings, neoprene inserts, and machined copper alloy contacts.

- Nine industry-standard contact arrangements for use on Arri, DeSisti, Cinemills, Filmgear, Mole-Richardson, and other HMI lighting solutions
- Rugged shells and couplings resist handling damage
- Fluted and/or rubber-coated coupling nuts facilitate easy mate and demate


SERIES 928 HMI CONNECTOR SELECTION GUIDE



HMI
Line Receptacle



HMI
Panel Receptacle



HMI Line Plug,
Heavy-Duty Coupling Ring



HMI Line Plug,
RadGrip Coupling Ring




HMI
Panel Plug

SERIES 928


HMI Lighting Connectors




Available industry-standard insert arrangements




14S-07
Interchangeable, intermateable with
Veam 14SA7
(7) size #16 contacts
This connector is used on:
Arri 200W
Mole-Richardson 200W and 800W
K5600 Jokerbug 200W, 400W, and 800W.




24-11
(3) size #8 contacts, (6) #12 contacts
This connector is used on:
DeSisti 4KW (blue)




24-2
(7) size #12 contacts
This connector is used on:
Arri 2.5 KW, 4KW
DeSisti 2.5KW (red)
Cinemills 2.5KW, 4KW
Filmgear 2.5KW, 4KW
Mole-Richardson 2.5KW, 4KW




24-2W
(7) size #12 contacts
This connector is used on:
Arri 575W, 1200W, 1800W
DeSisti 1200W (yellow)
Cinemills 575W, 1200W, 1800W
Filmgear 575W, 1200W
Mole-Richardson 1200W




24-2Z
(7) size #12 contacts
This connector is used on:
DeSisti 575W (green)




28-10
(3) #12 contacts, (2) #8 contacts, (2) #4 contacts
This connector is used on:
Cinemills 12KW, 18KW, 24KW
Filmgear 24KW
Mole-Richardson 12KW, 18KW, 24KW



28-22
(3) #16 contacts, (3) #4 contacts
This connector is used on:
Arri 6KW, 9KW
Filmgear 6KW



28-09
(5) #16 contacts, (4) #4 contacts
This connector is used on:
Arri 12KW, 18KW
Filmgear 12KW, 18KW



32-68
(12) #16 contacts, (4) #4 contacts
This connector is used on:
DeSisti 6KW (white), 12KW (pink), 18KW (orange)
Mole-Richardson 6KW

Mating face of socket connector. Pin connector identification is reversed.